

**Notice of Allowability**

Application No.

10/640,624

Examiner

Brian K Andrea

Applicant(s)

BEISNER, HENRY MICHAELS

Art Unit

3662

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 20 September 2004.
2. ☒ The allowed claim(s) is/are 1-6.
3. ☒ The drawings filed on 13 August 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH or DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 8/13/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

---

**DETAILED ACTION**

***Information Disclosure Statement***

1. The Information Disclosure Statement filed 20 September 2004 has been considered but no references contained therein have been considered because they were already considered by the Examiner in a previous Information Disclosure Statement filed 13 August 2003.

***Allowable Subject Matter***

2. Claims 1-6 are allowed.

3. The following is an examiner's statement of reasons for allowance: Claim 1 is distinguishable from the prior art because it requires a "multipath canceller comprising an array of complex delay-Doppler shift coefficients . . . said array producing a residual from which . . . interferences from . . . fixed reflectors and . . . moving reflectors have been removed, said multipath canceller comprising a minimizer minimizing the mean square of said residual over . . . whitening filter coefficients and the said multipath canceller delay-Doppler coefficients" and further "restoring the original signal" after removing the residual from the detected signal. U.S. Patent No. 6,650,271 to Simone et al. (hereinafter "Simone") teaches a receiver which removes multipath signals using coefficient-based processing. However, Simone teaches the use of a multiple receivers, each having their own respective adaptive weight that is applied to the received signal and does not teach a "multipath canceller" as claimed in claim 1. Specifically, Simone does not teach the creation of a residual signal from an array of signals, each of which apply their own respective coefficient to the received signal.

---

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**Conclusion**

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian K Andrea whose telephone number is (703) 605-4245. The examiner can normally be reached on M-F 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Tarcza can be reached on (703) 306-4171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BKA

BKA

16 November 2004



THOMAS H. TARCZA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600